

# Classic Hearth Vent-Free Gas Fireplace Systems



**VANGUARD** 

# FULL SIZE CLASSIC HEARTH FIREPLACE SYSTEMS . . . CREATE A FIREPLACE INSTANTLY.

# Fireplace Beauty with The Efficiency Of Vent-Free Technology

Classic Hearths provide up to 36,000 Btu of clean, quiet, odorless heat. Enough to heat up to 1,200 square feet for only pennies an hour. With Classic Hearth's clean burning, 99% heat efficient burner design, the gas fireplace operates without a chimney. No outside venting is required so you eliminate heat loss and cold air drafts.

A Vanguard Classic Hearth Vent-Free Gas Fireplace System offers you the most economical and convenient way to add the beauty of a fireplace to your home.

A Classic Hearth gives you the attractiveness of a real wood burning fireplace with the heating efficiency and warmth of vent-free gas space heating. No chimney or venting is required so installation is a fraction of the cost of installing a wood burning fireplace. Also, since a Classic Hearth operates without electricity, it is the perfect alternative for emergency heat during power outages.

These complete systems include a zero-clearance firebox, high efficiency vent-free gas logs, black louvers and concealed controls. Choose between thermostatic or remote control ready models. Optional multicolor brick liners in standard or herringbone patterns plus several mantel and hearth base designs are available.

### The Ultimate In Heating Comfort

There are a variety of models so you can select the comfort setting that best suits your needs. The thermostatically controlled model will automatically modulate to maintain your desired heat output, while the manually controlled model allows you to select the heat setting and flame height you prefer. Classic Hearths that are remote ready offer you the choice of two types of optional remote controls as well as the ability to operate the fireplace with a built-in variable manual control.



#### Mini

The new Mini Classic (VGMR) is a small 10,000 Btu, remote-ready gas fireplace that comes in a convenient go-anywhere size. Attractive red ceramic fiber liner and arched screen come standard.



### **Bedroom Compact**

The Bedroom Compact Classic Hearth (VMH10) has been specially engineered to produce a spectacular flame at only 10,000 Btu. Perfect for smaller rooms (like a bedroom), this fireplace is available with optional wall or corner mantels.



## Single Burner 26" Compact

The Single Burner Compact Classic Hearth (VMH26) is offered in both thermostatic and remote-ready models. The 26,000 Btu fireplace features realistic dancing yellow flames and a shallow depth for go-anywhere installation.



### **Dual Burner 26" Compact**

The Dual Burner Compact Classic Hearth (VDCF) is a 26,000 Btu fireplace which features two rows of dancing yellow flames and is available with your choice of thermostatic or remote ready controls.



### Classic Hearth 32"

The Classic Hearth Fireplace System (VYGF<sub>33</sub> and VSGF<sub>28/33</sub>) is a complete package: It includes the zero-clearance fireplace, plus a set of vent-free gas logs. A series of cabinet-mantels are available as accessories.



### **Total Control System 32"**

The Total Control System (VTGF33) is a truly innovative gas fireplace. Remote control and blower are included. The remote will not only control the flame and heat, it will even light the pilot light.



## Classic Hearth 36"

The Classic Hearth 36" Fireplace System (VSGF36) is designed for larger spaces, and boasts a handsome arched screen front and the Blaze n' Glow gas logs. A series of cabinet mantels are available as options.

# Classic Hearth Fireplace Systems

# Now There's A Classic Hearth For Every Need



(Top) The new Mini Classic is a small, bedroomapproved fireplace. Cabinet mantels are available in wall or corner mantels. (Right) The Single Burner Compact Classic will fit almost anywhere.

**Mini Classic (VGMR):** In many homes, finding enough space to have a fireplace can be challenging. The new Vanguard Mini Classic is the perfect solution. It is a small 10,000 Btu, remote-ready gas fireplace that will take up very little room. The 10,000 Btu output is a perfect heat range to provide comfortable heat for one or two rooms. This fireplace is approved for bedroom applications. Custom sized cabinet mantels are available as well, in both wall and corner versions. Attractive red ceramic fiber liner and arched screen come standard.

- Zero clearance construction
- Approved for bedroom use
- 99% efficient
- Arched screen
- Options include remote controls and cabinet mantels

**Bedroom Compact (VMH10):** Another option for bedroom or small heating space applications is the Bedroom Compact Classic Hearth. This model comes in two versions: a thermostatic model that operates according to a desired heat level, or a remote-ready model (remote controls are optional). All 26" cabinet mantels fit this model.

- Approved for bedroom use
- Up to 10,000 Btu
- 99% efficient
- Thermostatic or remote models available



Dual Burner Compact Fireplace System shown with a black cabinet mantel with natural stained top. (VDCF, WS26CP)

Compact Classic Hearth – Single Burner 26" (VMH26): When space is at a premium, a Vanguard Single Burner Compact Gas Classic Hearth System is the perfect choice. Enjoy all of the same features and benefits of a full-size Classic Hearth. These complete systems include a zero-clearance compact firebox, vent-free split oak gas logs, black louvers and concealed controls.

- Up to 26,000 Btu
- 99% efficient
- Either thermostatic or remote models available
- Accessories include designer face kits, cabinet mantels and blowers

Compact Classic Hearth – Dual Burner 26" (VDCF): Vanguard's Dual Burner Compact Classic Hearth System is one of the most exciting ideas in compact heat to come along in quite a while. The dual burner offers a nice "step-up" from the single burner and is ideal for mid-size rooms. The deeper firebox, full-size log set and two rows of flames provides a more realistic fireplace appearance. The larger, more detailed column cabinet mantel/base combination gives the appearance of a full-size mantel and base. Add in the arched screen, a look borrowed from the full-size Classic Hearth, and you have a perfectly priced and positioned fit between the single burner compact and full-size Classic Hearth line.

- Up to 26,000 Btu
- 99% percent efficient
- Options include designer face kits, cabinet mantels and blowers
- Thermostatic or remote models available

#### Classic Hearth 32" (VSGF28/VSGF33/VYGF):

The Vanguard Classic Hearth is a full-sized 32" fireplace system complete with zero-clearance firebox, gas log set and concealed controls. The 32" Classic Hearth is available in two log looks: the Flame-Max model has Golden Oak Logs with two rows of yellow flame. The ChaRealistic Classic Hearth has Blaze n' Glow Logs, with an innovative ramp burner that more closely replicates a wood fire.

Flame-Max Classic Hearths are equipped with remote ready controls. The optional manual or automatic blower can be installed to improve heat distribution. These fireplaces offer 33,000 Btu, enough to heat up to 1,100 square feet.

A ChaRealistic Classic Hearth allows you to enjoy the realism of full size Blaze n' Glow Logs and glowing coals featuring outstanding log aesthetics. A full set of black upper and lower louvers is standard with these models.

The thermostatically controlled model is equipped with an automatic variable speed blower, while the remote control ready models accept a blower accessory. Thermostatically controlled models offer 28,000 Btu, the remote control ready models offer 33,000...enough to heat up to 1,100 square feet.



pilot light or control your heat output. With Vanguard's new Total Control System (TCS) Classic Hearth, it's as easy as the push of a button on the hand-held remote or wall switch.

The TCS technology does require electricity to operate the fireplace remotely. However, it will operate in a manual control mode when electricity is not available, just like the other Classic Hearth Fireplace Systems.

This fireplace system offers the same great features as the standard ChaRealistic Classic Hearth - with the most realistic log set in the industry. The Glowing Oak features a state of the art ember bed, full 32" size firebox, dynamic dancing yellow flames and glowing coals, black louvers and concealed controls. The system also includes a wall switch and hand held remote control.

The TCS Classic Hearth delivers 33,000 Btu of vent-free heat, enough to cover 1,100 square feet.

The Total Control System offers the ultimate in convenience, with a standard remote control, which can light the pilot.

36" Extra-Large Classic Hearth (VSGF36): The 36" Classic Hearth will be a showpiece in any setting. Our largest ventfree fireplace system, the Vanguard 36" Classic Hearth features the Blaze n' Glow Logs, with its innovative ramp burner for greater glow. A variable speed blower comes standard, for greater heat distribution. Specialized accessories include decorative faces, cabinet mantels and remote controls.

# Classic Hearth Fireplace Systems

# CABINET MANTELS AND ACCESSORIES



#### Traditional

21", 26", 32", and 36" Wall and Corner Oak Stain (All sizes) Unfinished (26", 32", 36") White Paint (21", 26")



#### Georgian

26" Wall and Corner Light Oak Stain 32" Wall Light Oak Stain and Unfinished



#### Cottage

26" Wall and Corner Black with Natural top and White Paint



#### **Neo-Classical**

32" Wall Cherry Stain and White Paint



### Keystone

26", 32" and 36" Wall Red Oak Stain



#### **Mission**

26" and 32" Wall Dark Oak Stain



Classic

32" Wall and Corner Dark Oak Stain

**Compact Fireplace Face Kits:** You can completely change the look of your Compact system with the help of Vanguard's Compact Face Kits. Choose from two distinct styles: Victorian with its flourishes and Classic with its keyhole notches. Both available in pewter or hammered copper finishes.

(Right) Victorian style - Pewter finish (Far Right) Classic style - Hammered Copper finish





# **CABINET MANTELS**

MODEL NO.	DESCRIPTION
32" Classic He	arth Fireplace System
W32AU	32" Wall Mantel, Unfinished, Traditional Design
W32A0S	32" Wall Mantel, Light Oak Stained, Traditional Design
C32AU	32" Corner Mantel, Unfinished, Traditional Design
C32AOS	32" Corner Mantel, Light Oak Stained, Traditional Design
CMA311WA	32" Wall Mantel, White, Traditional Design w/ Dentil Molding
CMA306FA	32" Wall Mantel, Light Oak Stained, Traditional Design w/ Dentil Molding
CMA312FB	32" Wall Mantel, Dark Oak Stained, Classic Design
C32HS	32" Corner Mantel, Dark Oak Stained, Classic Design
W32KCSA	32" Wall Mantel, Cherry Stained, Neo-Classical Design
W32KPA	32" Wall Mantel, White, Neo-Classical Design
CMA305UA	32" Wall Mantel, Unfinished, Georgian Design
GMC90FA	32" Wall Mantel, Light Oak Stained, Georgian Design
W32G0SA	32" Wall Mantel, Dark Oak Stained, Mission Design
W32DS	32" Wall Mantel, Red Oak Stained, Keystone Design
36" Classic He	arth Fireplace System
W36AU	36" Wall Mantel, Unfinished, Traditional Design
GMC55F	36" Wall Mantel, Light Oak Stained, Traditional Design
C36AU	36" Corner Mantel, Unfinished, Traditional Design
GMC56F	36" Corner Mantel, Light Oak Stained, Traditional Design
W36DS	36" Wall Mantel, Red Oak Stained, Keystone Design
Single Flame 2	6" Compact Classic Hearth Fireplace System
GMC61UD	26" Wall Mantel, Unfinished, Traditional Design [Slim Line]
GMC63UD	26" Corner Mantel, Unfinished, Traditional Design [Slim Line]
CMA208FB	26" Corner Mantel, Oak Stained, Traditional Design
WS26CP	26" Wall Mantel, Black w/ Natural Top, Cottage Design
CS26CP	26" Corner Mantel, Black w/ Natural Top, Cottage Design
WD26CPA	26" Wall Mantel, White, Cottage Design
Single and Dua	I Flame 26" Compact Classic Hearth Fireplace System
CMA205UA	26" Wall Mantel, Unfinished, Traditional Design
CMA204FA	26" Wall Mantel, Oak Stained, Traditional Design
CMA210W	26" Wall Mantel, White, Traditional Design
GMC80FA	26" Wall Mantel, Light Oak Stained, Georgian Design
GMC83F	26" Corner Mantel, Light Oak Stained, Georgian Design
WD26G0SA	26" Wall Mantel, Dark Oak Stained, Mission Design
WS26DS	26" Wall Mantel, Red Oak Stained, Keystone Design
21" Mini Heartl	n Fireplace System
W21AP	21" Wall Mantel, White, Traditional Design
C21AP	21" Corner Mantel, White, Traditional Design
W21AOS	21" Wall Mantel, Light Oak Stained, Traditional Design
C21AOS	21" Corner Mantel, Light Oak Stained, Traditional Design
* All	Mark and the last transfer of the second sec

 $<sup>\</sup>mbox{\scriptsize {\star}}$  All mantels come with a base and include a black perimeter trim.

# **FACE MANTELS**

MODEL NO.	DESCRIPTION							
32" Face Mantels								
FM32BP	32" Face Mantel - Primed, Federal Design							
FM32BU	32" Face Mantel - Unfinished, Federal Design							
FM32B0	32" Face Mantel - Oak Stained, Federal Design							
36" Face Mante	els							
FM36AP	36" Face Mantel - Primed, Traditional Design							
FM36AU	36" Face Mantel - Unfinished, Traditional Design							
FM36A0	36" Face Mantel - Oak Stained, Traditional Design							
FM36BP	36" Face Mantel - Primed, Federal Design							
FM36BU	36" Face Mantel - Unfinished, Federal Design							
FM36B0	36" Face Mantel - Oak Stained, Federal Design							
FM36CP	36" Face Mantel - Primed, Classic Design							
FM36CU	36" Face Mantel - Unfinished, Classic Design							
FM36C0	36" Face Mantel - Oak Stained, Classic Design							

# **ACCESSORIES**


MODEL NO	DESCRIPTION
	earth Fireplace Systems
GA9094	Firebox Extruded Louvers - Polished Brass
GABB9094	Firebox Extruded Louvers - Brushed Brass
GAB9094	Firebox Extruded Louvers - Black
GAP9094	Firebox Extruded Louvers - Platinum
PT32	32" Perimeter Trim Kit - Black
PT32B	32" Perimeter Trim Kit - Brushed Brass
PT32PB	32" Perimeter Trim Kit - Polished Brass
PT32P	32" Perimeter Trim Kit - Platinum
HFL300	32" Fireplace Brick Liner, Standard Brick Pattern (Almond)
HFL301	32" Fireplace Brick Liner, Standard Brick Pattern (Red)
HFL310	32" Fireplace Brick Liner, Herringbone Brick Pattern (Almond)
HFL311	32" Fireplace Brick Liner, Herringbone Brick Pattern (Red)
	earth Fireplace System
PT36	36" Perimeter Trim Kit - Black
PT36B	36" Perimeter Trim Kit - Brushed Brass
PT36PB	36" Perimeter Trim Kit - Polished Brass
PT36P	36" Perimeter Trim Kit - Platinum
LT36B LT36PB	36" 4-Pc. Louver Trim Kit - Brushed Brass
	36" 4-Pc. Louver Trim Kit - Polished Brass 36" 4-Pc. Louver Trim Kit - Platinum
LT36P	
HFL400 HFL401	36" Fireplace Brick Liner, Standard Brick Pattern (Almond)
	36" Fireplace Brick Liner, Standard Brick Pattern (Red)
32" and 36" (	Classic Hearth Fireplace System
GA3750A	Manual Blower, Variable Speed Control
GA3650TB	[For All Models Except VSGF28NT/PT]
GA3555	Automatic Thermostatic Blower [For All Models Except VSGF28NT/PT]  Outlet Kit, for Recessed Installation
	ual Flame Compact Classic Hearth Fireplace System
GA6095	4-Piece Firebox Perimeter Polished Brass Trim
GA6093	3-Piece Firebox Perimeter Polished Brass Trim
GAB6094	3-Piece Firebox Perimeter Poistied Blass IIIII
GAP6094	3-Piece Firebox Perimeter Platinum Trim
GA9092	Compact Firebox Extruded Louvers - Polished Brass
GAB9092	Compact Firebox Extruded Louvers - Black
GAP9092	Compact Firebox Extruded Louvers - Platinum
GA3450TA	Thermostatically Controlled Blower
DFK26P1	Compact Face Kit, Platinum Finish, Victorian Design
DFK26C1	Compact Face Kit, Hammered Copper Finish, Victorian Design
DFK26P2	Compact Face Kit, Platinum Finish, Classic Design
DFK26C2	Compact Face Kit, Hammered Copper Finish, Classic Design
HFL200	Dual Compact Burner Only, Brick Liner, Standard Brick Pattern, Aged Almond
HFL201	Dual Compact Burner Only, Brick Liner, Standard Brick Pattern, Aged Red
	dy" Classic Hearth Fireplace System
HRC100	Receiver and On/Off Remote Control Kit
HRC200	Receiver and Thermostat Remote Control Kit
GWMS2	Wall Mount - On/Off Switch Kit
GWMT1	Wall Mount - Thermostat Control Kit
	erth Fireplace System
CF6-A	Fire Crackling Sound with On/Off Switch
GCK	Cleaning Kit - For Routine Consumer Maintenance of Vent-Free Products
UCK	Greating Int - For Routine Consumer Maintenance of Vent-Free Products

#### PRODUCT SPECIFICATION

MODEL NO.	DESCRIPTION	Btu CAPACITY	FUEL	SHIPPING WT.
32" Classic H	earth Fireplace System			
VSGF28NTF	32" Zero-Clearance Firebox with Blower and Blaze N' Glow Logs, Both T'Stat Controlled	20,000 to 28,000	Natural	83.0 lbs.
VSGF28PTF	32" Zero-Clearance Firebox with Blower and Blaze N' Glow Logs, Both T'Stat Controlled	20,000 to 28,000	Propane	83.0 lbs.
VSGF33NRC	32" Zero-Clearance Firebox with Remote Ready Blaze N' Glow Logs (Accepts Accessory Blowers)	20,000 to 33,000	Natural	80.0 lbs.
VSGF33PRC	32" Zero-Clearance Firebox with Remote Ready Blaze N' Glow Logs (Accepts Accessory Blowers)	20,000 to 33,000	Propane	80.0 lbs.
VTGF33NRB	32" Zero-Clearance Firebox with TCS Control System, w/ Remote Glowing Oak Logs. Blower Included	20,000 to 33,000	Natural	100.0 lbs.
VTGF33PTB	32" Zero-Clearance Firebox with TCS Control System, w/ Remote Glowing Oak Logs. Blower Included	20,000 to 33,000	Propane	100.0 lbs.
VYGF33NRC	32" Zero-Clearance Firebox with Remote Ready Golden Oak Logs (Accepts Accessory Blowers)	20,000 to 33,000	Natural	76.0 lbs.
VYGF33PRC	32" Zero-Clearance Firebox with Remote Ready Golden Oak Logs (Accepts Accessory Blowers)	20,000 to 33,000	Propane	76.0 lbs.
36" Classic H	earth Fireplace System			
VSGF36NTB	36" Zero-Clearance Firebox with Variable Speed Blower and Blaze N' Glow Logs, Both T'Stat Controlled	21,500 to 33,000	Natural	120.0 lbs.
VSGF36PTB	36" Zero-Clearance Firebox with Variable Speed Blower and Blaze N' Glow Logs, Both T'Stat Controlled	21,500 to 33,000	Propane	120.0 lbs.
VSGF36NRB	36" Zero-Clearance Firebox with Remote Ready Blaze N' Glow Logs and Variable Speed Blower	21,500 to 33,000	Natural	120.0 lbs.
VSGF36PRB	36" Zero-Clearance Firebox with Remote Ready Blaze N' Glow Logs and Variable Speed Blower	21,500 to 33,000	Propane	120.0 lbs.
26" Single Fla	me Compact Classic Hearth Fireplace System			
VMH26TNC	Zero-Clearance Single Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs	14,000 to 26,000	Natural	41.0 lbs.
VMH26TPC	Zero-Clearance Single Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs	14,000 to 26,000	Propane	41.0 lbs.
VMH10TNC	Zero-Clearance Single Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs	10,000	Natural	42.0 lbs.
VMH10TPC	Zero-Clearance Single Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs	10,000	Propane	42.0 lbs.
VMH10RNC	Zero-Clearance Single Burner Compact Firebox, Vent-Free Remote Ready Gas Logs	10,000	Natural	42.0 lbs.
VMH10RPC	Zero-Clearance Single Burner Compact Firebox, Vent-Free Remote Ready Gas Logs	10,000	Propane	42.0 lbs.
VMH26NRB	Zero-Clearance Single Burner Compact Firebox, Vent-Free Remote Ready Gas Logs	14,000 to 26,000	Natural	41.0 lbs.
VMH26PRB	Zero-Clearance Single Burner Compact Firebox, Vent-Free Remote Ready Gas Logs	14,000 to 26,000	Propane	41.0 lbs.
26" Dual Flam	e Compact Classic Hearth Fireplace System			
VDCFTNB	Zero-Clearance Dual Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs	17,000 to 26,000	Natural	55.0 lbs.
VDCFTPB	Zero-Clearance Dual Burner Compact Firebox, Vent-Free Thermostatically Controlled Gas Logs	17,000 to 26,000	Propane	55.0 lbs.
VDCFRNB	Zero-Clearance Dual Burner Compact Firebox, Vent-Free Remote Ready Gas Logs	17,000 to 26,000	Natural	56.0 lbs.
VDCFRPB	Zero-Clearance Dual Burner Compact Firebox, Vent-Free Remote Ready Gas Logs	17,000 to 26,000	Propane	56.0 lbs.
21" Mini Class	ic Hearth Fireplace System			
VGMRN	Zero-Clearance Single Burner Compact Firebox, Remote Ready Gas Logs	10,000	Natural	45.0 lbs.
VGMRP	Zero-Clearance Single Burner Compact Firebox, Remote Ready Gas Logs	10,000	Propane	45.0 lbs.


#### 32" and 36" Classic Hearth Fireplace Systems

#### **Compact Classic Hearth Fireplace Systems**



	A	В	С	D	Е	F	G	Н	- 1
32"	18	315/8	223/8	16¹/2	341/4	341/4	321/4	1 <sup>1</sup> /2	16 <sup>1</sup> / <sub>2</sub>
36"	25	35	•	211/4	42	42	36		211/4

Note: Dimensions on this catalog are approximate. For accurate dimensions, refer to the installation instructions.



	A	В	С	D	E	F	G	Н	- 1
Single Burner Compact	257/8	265/8	251/2	257/8	3/8	3/8	81/4	93/8	11/8
Dual Burner Compact	257/8	265/8	251/2	257/8	3/8	3/8	13	14 <sup>1</sup> /8	11/8
Mini	16 <sup>1</sup> / <sub>4</sub>	197/8	201/4	231/2	N/A	N/A	83/8	91/2	7/8

Note: Dimensions on this catalog are approximate. For accurate dimensions, refer to the installation instructions.

#### Safety Features Built Into Every Fireplace

Vanguard's Classic Hearth Vent-Free Gas Fireplace Systems are designed certified by the American Gas Association and meets or exceeds all regulations and safety variguates classic fleating felicities and the designed systems are designed extended by the American day association and interest of exceeds at regulations and safety performance standards for vent-free gas appliances. Additionally, these fireplaces perform well within nationally recognized guidelines for indoor air quality.

The dual purpose safety pilot system protects against oxygen depletion and any interruption in the fuel supply. If either occurs, it shuts off the gas flow to the burner turning the heater off. An internal pressure regulator controls fluctuations in your gas pressure. These features ensure clean and reliable heat without the worry and inconvenience of vented gas logs or burning wood.

Vanguard Vent-Free Gas Products Meet or Exceed Nationally Recognized Standards/Guidelines for Indoor Air Quality.+

#### **IMPORTANT**

+ Per the findings of the American Gas Association Research when installed and operated per DESA's instructions.





www.VanguardHeat.com Bowling Green, KY 42101 (866) 672-6040









Vent-free gas products are prohibited for bedroom and bathroom installation in Massachusetts.

Read Owner's Manual before using.

All products approved for manufactured (mobile) home installation We reserve the right to amend product specifications without notice Operating heater at very high elevations could cause nuisance outages Use with adequate air (ventilation) only. Humidifies while it heats Provides water vapor in the area heated. Refer to owner's manual for specifics.

Printed in U.S.A.

Product cannot be converted between fuel types. The only warranty we offer is our standard warranty. Please read the warranty for any limitations or disclaimers. All parts have a limited four year warranty.

